

RM2301,BUILDING 4,PENGLINANHUA Plaza, 12 LIAOYANG EAST ROAD, QINGDAO,CHINA EMAIL: michael@cncolorchem.com TEL: 0086 532 88978177/88978188 FAX: 0086 532 88962988/88967877 WEBSITE: www.cncolorchem.com

MATERIAL SAFETY DATA SHEET

Section 1 - I DENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

IDENTIFICATION OF THE SUBSTANCE OR PREPARATION:

PRODUCT NAME: POLYVINYL ALCOHOL

GRADES: 088-50

CHEMICAL FORMULA: (C2-H4-O)n

CAS #: 9002-89-5

EC #: -

USE OF THE SUBSTANCE/PREPARATION:

To produce solvent resistant gloves, and laminated with other plastic films. Films and coatings resistant to gasoline. Water soluble films and packaging. Used in preparation of polyvinyl acetal; production of plastic materials, foils, hoses, fibres; textile sizes, mould release and parting agents. Also used in printing inks for plastics and glass, pharmaceutical finishing, cosmetics, laminating adhesives, cements and mortars. Used as emulsifying agent, thickener and stabiliser.

COMPANY /UNDERTAKING IDENTIFICATION:

QINGDAO SANHUAN COLORCHEM CO., LTD.

RM 2301, BUILDING 4, PENGLINANHUA PLAZA, 12 LIAOYANG EAST ROAD, QINGDAO, CHINA

Tel: +86-532-88978177/88978188

Fax: +86-532-88962988

Email: michael@cncoiorchem.com

Section 2 - HAZARDS IDENTIFICATION

Emergency Overview

CAUTION! MAY FORM COMBUSTIBLE DUST CONCENTRATIONS IN AIR. NUISANCE DUST. SAF-T-DATA(tm) Ratings (Provided here for your convenience)

Health Rating: 0 - None Flammability Rating: 2 - Moderate Reactivity Rating: 0 - None Contact Rating: 0 - None Lab Protective Equip: GOGGLES; LAB COAT; CLASS B EXTINGUISHER Storage Color Code: Red (Flammable)

Potential Health Effects

Inhalation: Dust may be formed under certain conditions of use. Treat as a nuisance dust. When heated above 200C, fumes irritating the eyes, nose, throat will be evolved. Symptoms may include tears in the eyes with itching, redness, burning pain in throat and nose. Ingestion: Not expected to be a health hazard via ingestion. Skin Contact: Not expected to be a health hazard from skin exposure. Eye Contact: Mechanical irritation only. Chronic Exposure: No



RM2301,BUILDING 4,PENGLINANHUA Plaza, 12 LIAOYANG EAST ROAD, QINGDAO,CHINA EMAIL: michael@cncolorchem.com TEL: 0086 532 88978177/88978188 FAX: 0086 532 88962988/88967877 WEBSITE: www.cncolorchem.com

human data. Animal studies showed a drop in hemoglobin and erythrocyte(red blood cell) number with eventual complete coagulation inhibition. There is the possibility of carcinogenicity as seen in some animal studies. Aggravation of Pre-existing Conditions: No information found.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS No	Percent	
			Hazardous
Polyvinyl Alcohol	9002-89-5	> 95%	Yes
Methyl Alcohol	67-56-1	< 1%	No

Section 4 - FIRST AID MEASURES

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion: Not expected to require first aid measures.

Skin Contact: Wash exposed area with soap and water. Get medical advice if irritation develops. Eye Contact: Wash thoroughly with running water. Get medical advice if irritation develops.

Section 5 - FIRE FIGHTING MEASURES

Fire: Flash point: 79C (174F) OC As with most organic solids, fire is possible at elevated temperatures or by contact with an ignition source. Minimum dust cloud ignition temperature: 450C (842F).

Explosion:

Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Maximum explosion pressure: 78 lb./sq. in. Fire Extinguishing Media: Water spray, dry chemical, alcohol foam, or carbon dioxide. Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Section 6 - ACCIDENTAL RELEASE MEASURES

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container.

Section 7 - HANDLING AND STORAGE

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect



olorchem QINGDAO SANHUAN COLORCHEM CO., LTD.

RM2301.BUILDING 4.PENGLINANHUA Plaza. 12 LIAOYANG EAST ROAD, QINGDAO, CHINA EMAIL: michael@cncolorchem.com

TEL: 0086 532 88978177/88978188 FAX:0086 532 88962988/88967877 WEBSITE: www.cncolorchem.com

against physical damage. Separate from incompatibilities. Avoid dust formation and control ignition sources. Employ grounding, venting and explosion relief provisions in accord with accepted engineering practices in any process capable of generating dust and/or static electricity. Empty only into inert or non-flammable atmosphere. Emptying contents into a non-inert atmosphere where flammable vapors may be present could cause a flash fire or explosion due to electrostatic discharge.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Airborne Exposure Limits: None established. Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details. Personal Respirators (NIOSH Approved). For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear protective gloves and clean body-covering clothing. Eye Protection: Use chemical safety goggles.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White free-flowing granules.

Odor: Mild odor.

Solubility: Moderately soluble. Specific Gravity: 1.19 - 1.31

pH: Aqueous solution is neutral or slightly acid.

% Volatiles by volume @ 21C (70F):

0

Boiling Point: No information found. Melting Point: ca. 200C (ca. 392F)

Vapor Density (Air=1): No information found. Vapor Pressure (mm Hg): No information found. Evaporation Rate (BuAc=1): No information found.

Section 10 - STABILITY AND REACTIVITY



RM2301,BUILDING 4,PENGLINANHUA Plaza, 12 LIAOYANG EAST ROAD, QINGDAO,CHINA EMAIL: michael@cncolorchem.com TEL: 0086 532 88978177/88978188 FAX: 0086 532 88962988/88967877 WEBSITE: <u>www.cncolorchem.com</u>

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products: Complete combustion will emit carbon dioxide and water when heated to decomposition. Incomplete combustion gives in addition carbon monoxide and oxidation products, including organic acids, aldehydes and alcohol.

Hazardous Polymerization: Will not occur.

Incompatibilities: Strong oxidizers.

Conditions to Avoid: Heat, flame, ignition sources, dusting and incompatibles

Section 11 - TOXICOLOGICAL INFORMATION	
Oral rat LD50: > 20 gm/kg. Investigated as a tumorigen.	
\Cancer Lists\	>_
NTP Carcinogen	
Ingredient Known Anticipated IARC Category	
Methyl Alcohol (67-56-1) No No None	
Polyvinyl Alcohol (9002-89-5) No No 3	

Section 12 - ECOLOGICAL INFORMATION
Environmental Fate: No information found.
Environmental Toxicity: No information found.

Section 13 - DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14 - TRANSPORTATION INFORMATION Not regulated.

Section 15 - REGULATORY INFORMATION				
\Chemical Inventory Status - Part 1\				
Ingredient	TSCA EC Japan Australia			
Methyl Alcohol (67-56	-1) Yes Yes Yes			
Polyvinyl Alcohol (9002-89-5) Yes No Yes Yes				
\Chemical Inve	ntory Status - Part 2\			



RM2301,BUILDING 4,PENGLINANHUA Plaza, 12 LIAOYANG EAST ROAD, QINGDAO,CHINA EMAIL: michael@cncolorchem.com TEL: 0086 532 88978177/88978188 FAX: 0086 532 88962988/88967877 WEBSITE: www.cncolorchem.com

--Canada--Ingredient Korea DSL NDSL Phil. Methyl Alcohol (67-56-1) Yes Yes No Yes Polyvinyl Alcohol (9002-89-5) Yes Yes No Yes -----\Federal, State & International Regulations - Part 1\------SARA 302- -----SARA 313-----Ingredient RQ TPQ List Chemical Catg. Methyl Alcohol (67-56-1) No No Yes No Polyvinyl Alcohol (9002-89-5) No No No No -----\Federal, State & International Regulations - Part 2\ -RCRA- -TSCA-Ingredient CERCLA 261.33 8(d) -----Methyl Alcohol (67-56-1) 5000 U154 No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No

SARA 311/312: Acute: No Chronic: No Fire: Yes Pressure: No

Reactivity: No (Mixture / Solid)

Australian Hazchem Code: None allocated. Poison Schedule: None allocated. WHMLS: This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

Section 16 - OTHER INFORMATION

Polyvinyl Alcohol (9002-89-5) No No No

NFPA Ratings: Health: O Flammability: 2 Reactivity: O

Label Hazard Warning: CAUTION! MAY FORM COMBUSTIBLE DUST

CONCENTRATIONS IN AIR. NUISANCE DUST.

Label Precautions: Store in a tightly closed container. Avoid breathing dust. Avoid dust cloud in presence of an ignition source. Maintain adequate

ventilation.

Label First Aid: Not applicable.
Product Use: Laboratory Reagent.

Revision Information: MSDS Section(s) changed since last revision of

document include: 3.

DISCLAIMER:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to



Clorchem QINGDAO SANHUAN COLORCHEM CO., LTD.

RM2301, BUILDING 4, PENGLINANHUA Plaza, 12 LIAOYANG EAST ROAD, QINGDAO, CHINA EMAIL: michael@cncolorchem.com

TEL: 0086 532 88978177/88978188 FAX:0086 532 88962988/88967877 WEBSITE: www.cncolorchem.com

guarantee any particular properties.

