QINGDAO SANHUAN COLORCHEM CO., LTD.

17 FLOOR, YUHENG BUILDING, NO.170
XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

SAFETY DATA SHEET

Section 1 Product and Company Identification

> Product Identifier

Product Name	Bisphenol A type Solid Epoxy Resin
Synonyms	-
CAS No.	25068-38-6
EC No.	500-033-5
Molecular Formula	$(C_{15}H_{16}O_2.C_3H_5ClO)x$

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses	Please consult manufacturer.
Uses Advised Against	Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name	QINGDAO SANHUAN COLORCHEM CO.,LTD.
Application Address	17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD,QINGDAO, CHINA, China
Applicant Post Code	266011
Applicant Telephone	+86-532-88978177
Applicant Fax	+86-532-88962988
Applicant E-mail	michael@cncolorchem.com
Supplier Name	QINGDAO SANHUAN COLORCHEM CO.,LTD.
Supplier Address	17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD,QINGDAO, CHINA, China
Supplier Post Code	266011
Supplier Telephone	+86-532-88978177
Supplier Fax	+86-532-88962988
Supplier E-mail	michael@cncolorchem.com

> Emergency Phone Number

Emergency Phone Number	+86-532-88978177

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the eighth revised edition):

> GHS Hazard Class

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

Skin Corrosion/Irritation	Category 2

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

Sensitization – Skin	Category 1
Eye Damage/Irritation	Category 2A

> GHS Label Elements

Pictogram



Signal Word **Warning**

> Hazard Statements

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

> Precautionary Statements

Prevention

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash contact area thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P321	Specific treatment (see measures on this label).
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P317	If skin irritation occurs; Get medical help.
P333+P317	If skin irritation or rash occurs:Get medical help.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

Not applicable

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Bisphenol A type Solid Epoxy Resin			

17 FLOOR, YUHENG BUILDING, NO.170
XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

100 2506

Section 4 First Aid Measures

> Description of First Aid Measures

General Advice Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.

Skin Contact Take off contaminated clothing and shoes immediately. Wash off with plenty of

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

	water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of First-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

1 Treat symptomatically.
2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing Media	Dry chemical, carbon dioxide, water spray,alcohol-resistant foam.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

1 Containers may explode when heated.
2 Fire exposed containers may vent contents through pressure relief valves.
3 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent)and full protective gear.
2 Fight fire from a safe distance, with adequate cover.
3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

> Personal Precautions, Protective Equipment and Emergency Procedures

1 Ensure adequate ventilation. Remove all sources of ignition.

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

1 Prevent further leakage or spillage if safe to do so.

2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

1 Handling is performed in a well ventilated place.

2 Wear suitable protective equipment.

3 Avoid contact with skin and eyes.

4 Keep away from heat/sparks/open flames/ hot surfaces.

5 Take precautionary measures against static discharges.

> Precautions for Storage

1 Keep containers tightly closed.

2 Keep containers in a dry, cool and well-ventilated place.

3 Keep away from heat/sparks/open flames/ hot surfaces.

4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

No information available

Biological Limit Values

No information available

Monitoring Methods

1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

1 Ensure adequate ventilation, especially in confined areas.

2 Ensure that eyewash stations and safety showers are close to the workstation location.

3 Use explosion-proof electrical/ventilating/lighting/equipment.

4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

Hand Protection	Wear protective gloves（such as butyl rubber）, passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
Skin and Body Protection	Wear fire/flame resistant/retardant clothing and antistatic boots.

17 FLOOR, YUHENG BUILDING, NO.170
XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

Section 9 Physical and Chemical Properties

Appearance: White to yellowish solid particles

Odor: No information available

Odor Threshold: No information available

pH: No information available

Melting Point/Freezing Point (℃): No information available

Initial Boiling Point and Boiling Range (℃): No information available

Flash Point (℃)(Closed Cup): Not applicable

Evaporation Rate: Not applicable

Flammability: Non flammable

Upper/lower explosive limits[%(v/v)]: Upper limit: No information available; Lower limit: No information available

Vapor Pressure (KPa): Not applicable

Relative Vapour Density(Air = 1): Not applicable

Relative Density(Water=1): No information available

Solubility: No information available

n-Octanol/Water Partition Coefficient: No information available

Auto-Ignition Temperature(℃): No information available

Decomposition Temperature (℃): No information available

Kinematic Viscosity (mm^2/s): Not applicable

Particle characteristics: No information available

Section 10 Stability and Reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical Stability	Stable under proper operation and storage conditions.
Possibility of Hazardous Reactions	No information available
Conditions to Avoid	Incompatible materials, heat, flame and spark.
Incompatible Materials	No information available
Hazardous Decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

No information available

> Skin Corrosion/Irritation

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
TEL:0086 532 88978177/88978188 FAX:0086 532 88962988/88967877
EMAIL: michael@cncolorchem.com WEBSITE: www.cncolorchem.com

Causes skin irritation(Category 2)(Bisphenol A type Solid Epoxy Resin)

> Serious Eye Damage/Irritation

Causes serious eye irritation(Category 2A)(Bisphenol A type Solid Epoxy Resin)

> Skin Sensitization

May cause an allergic skin reaction(Category 1)(Bisphenol A type Solid Epoxy Resin)

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	25068-38-6	Bisphenol A type Solid Epoxy Resin	Not Listed	Not Listed

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

No information available

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability	No information available
Bioaccumulative Potential	No information available
Mobility in Soil	No information available
Results of PBT and vPvB Assessment	Bisphenol A type Solid Epoxy Resin does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

Section 13 Disposal Considerations

Waste Chemicals Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

Contaminated Packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal Recommendations	Refer to section 13.1and 13.2.

Section 14 Transport Information

Transporting Label	Not applicable
UN Number	-
UN Proper Shipping Name	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
Transport Hazard Class	None
Transport Subsidiary Hazard Class	None
Packing Group	-

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Bisphenol A type Solid Epoxy Resin	√	√	√	√	√	√	√	√	×

【EINECS】 European Inventory of Existing Commercial Chemical Substances.
【TSCA】 United States Toxic Substances Control Act Inventory.
【DSL】 Canadian Domestic Substances List.
【IECSC】 China Inventory of Existing Chemical Substances.
【NZIoC】 New Zealand Inventory of Chemicals.
【PICCS】 Philippines Inventory of Chemicals and Chemical Substances.
【KECI】 Existing and Evaluated Chemical Substances.
【AICS】 Australia Inventory of Chemical Substances.
【ENCS】 Existing And New Chemical Substances.

Note
"√" Indicates that the substance included in the regulations
"×" That no data or included in the regulations

Section 16 Additional Information

Creation Date	2020/07/14
Revision Date	2020/07/14

17 FLOOR, YUHENG BUILDING, NO.170 XUZHOU NORTH ROAD, QINGDAO, CHINA
EMAIL: michael@cncolorchem.com
TEL:0086 532 88978177/88978188
FAX:0086 532 88962988/88967877
WEBSITE: www.cncolorchem.com

Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user' s reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense

17 FLOOR, YUHENG BUILDING, NO.170 TEL:0086 532 88978177/88978188
XUZHOU NORTH ROAD, QINGDAO, CHINA FAX:0086 532 88962988/88967877
EMAIL: michael@cncolorchem.com WEBSITE: www.cncolorchem.com

arising out of or in any way connected with the handling, storage, use or disposal of the product.